
Contura II Basin/Bath Outlet 220mm - Matte Black

Code: 849060B6AF






Attributes

Litres per minute	4.50 ltr
Outlet length	220 mm
Outlet type	Fixed
Temperature adjustable	No
Flow adjustable	No
Coating method	Electroplated
ls retrofit	No

- Australian designed and engineered
- Enjoy peace of mind with 20 years warranty
- Engineered from Lead Free brass*
- Caroma tapware is 100% leak tested
- Water and energy efficient WELS 6 star flow rate (4.5L/min)
- Unrestricted aerator included for bath installations
- Concealed aerator with adjustable stream direction
- Available in Chrome, matte black, brushed bronze, brushed brass and brushed nickel
- *0.25% lead as per Lead Free Watermark certification

Contura II Basin/Bath Outlet 220mm - Brushed Brass

Code: 849060BB6AF






Attributes

Litres per minute	4.50 ltr
Temperature adjustable	No
Flow adjustable	No
Coating method	PVD
ls retrofit	No
Depth	270 mm
Length	70 mm
Net Weight	1.00 kg

- PVD finish for striking design & durability
- Australian designed and engineered
- Enjoy peace of mind with 20 years warranty
- Engineered from Lead Free brass*
- Caroma tapware is 100% leak tested
- Water and energy efficient WELS 6 star flow rate (4.5L/min)
- Unrestricted aerator included for bath installations
- Concealed aerator with adjustable stream direction
- Available in Chrome, matte black, brushed bronze, brushed brass and brushed nickel
- *0.25% lead as per Lead Free Watermark certification

Contura II Basin/Bath Outlet 220mm - Brushed Bronze

Code: 849060BBZ6AF






Attributes

Litres per minute	4.50 ltr
Temperature adjustable	No
Flow adjustable	No
Coating method	PVD
ls retrofit	No
Depth	270 mm
Length	70 mm
Net Weight	1.00 kg

- PVD finish for striking design & durability
- Australian designed and engineered
- Enjoy peace of mind with 20 years warranty
- Engineered from Lead Free brass*
- Caroma tapware is 100% leak tested
- Water and energy efficient WELS 6 star flow rate (4.5L/min)
- Unrestricted aerator included for bath installations
- Concealed aerator with adjustable stream direction
- Available in Chrome, matte black, brushed bronze, brushed brass and brushed nickel
- *0.25% lead as per Lead Free Watermark certification

Contura II Basin/Bath Outlet 220mm - Brushed Nickel

Code: 849060BN6AF






Attributes

Litres per minute	4.50 ltr
Temperature adjustable	No
Flow adjustable	No
Coating method	PVD
ls retrofit	No
Depth	270 mm
Length	70 mm
Net Weight	1.00 kg

- PVD finish for striking design & durability
- Australian designed and engineered
- Enjoy peace of mind with 20 years warranty
- Engineered from Lead Free brass*
- Caroma tapware is 100% leak tested
- Water and energy efficient WELS 6 star flow rate (4.5L/min)
- Unrestricted aerator included for bath installations
- Concealed aerator with adjustable stream direction
- Available in Chrome, matte black, brushed bronze, brushed brass and brushed nickel
- *0.25% lead as per Lead Free Watermark certification

Contura II Basin/Bath Outlet 220mm - Chrome

Code: 849060C6AF





Attributes

Litres per minute	4.50 ltr
Outlet length	220 mm
Temperature adjustable	No
Flow adjustable	No
Coating method	Chromeplated
ls retrofit	No
Depth	270 mm
Length	70 mm
Net Weight	1.00 kg

- Durable chrome finish
- Australian designed and engineered
- Enjoy peace of mind with 20 years warranty
- Engineered from Lead Free brass*
- Caroma tapware is 100% leak tested
- Water and energy efficient WELS 6 star flow rate (4.5L/min)
- Unrestricted aerator included for bath installations
- Concealed aerator with adjustable stream direction
- Available in Chrome, matte black, brushed bronze, brushed brass and brushed nickel
- *0.25% lead as per Lead Free Watermark certification